

Inspection Results (IRR)

Generated on 2018.December.13 14:41

- DIMP (86)

Inspection Results Report (ALL Non-Empty Results) - Scp_PK DIMP

Row	Assets	Result	(Note 1)	Sub-Group	Qs #	Question ID	References	Question Text
1.	DIMP	Sat	(2)	PRR.REPORT	5.	GDIM.RR.MECHANICALFITTINGDATAI MPL.R	192.1009 (191.12)	Have accurate records been maintained documenting mechanical fitting failures that resulted in hazardous leaks?
2.	DIMP	Sat		GDIM.IM	1.	GDIM.QA.PLANIMPLEMENT.P	192.1005	Was the plan written and implemented per the requirement of 192.1005 by 08/02/2011?
3.	DIMP	Sat		GDIM.IM	2.	GDIM.RA.SOURCES.P	192.1007(a) (1)	Do the procedures identify or reference the appropriate sources used to determine certain characteristics (e.g., Design, Operating Conditions, Operating Environmental Factors) necessary to assess the threats and risks to the pipeline?
4.	DIMP	Sat		GDIM.KN	1.	GDIM.RA.INFORMATION.P	192.1007(a) (2)	Do the procedures require the consideration of information gained from past design, operations, and maintenance (e.g. O&M activities, field surveys, One-Call system information, excavation damage, etc.)?
5.	DIMP	Sat		GDIM.KN	2.	GDIM.RA.GAPS.P	192.1007(a) (3)	Does the plan contain procedures to identify additional information that is needed to fill gaps due to missing, inaccurate, or incomplete records?
6.	DIMP	Sat		GDIM.KN	3.	GDIM.RA.INFONEEDS.P	192.1007(a) (3)	Do the procedures specify the means to collect the additional information needed to fill gaps due to missing, inaccurate, or incomplete records (e.g., O&M activities, field surveys, One-Call System, etc.)?
7.	DIMP	Sat		GDIM.KN	4.	GDIM.RA.INFONEEDS.R	192.1007(a) (3)	Does the plan list the additional information needed to fill gaps due to missing, inaccurate, or incomplete records?
8.	DIMP	Sat		GDIM.KN	5.	GDIM.RA.NEWPIPEDATA.P	192.1007(a) (5)	Do the procedures require the capture and retention of data on any new pipeline installed?
9.	DIMP	Sat		GDIM.KN	6.	GDIM.RA.NEWPIPEDATA.R	192.1007(a) (5)	Does the data required for capture and retention include, at a minimum, the location where the new pipeline is installed and the material from which it is constructed?
10.	DIMP	Sat		GDIM.KN	7.	GDIM.RA.DEMOKNOWLEDGE.R	192.1007(a)	Do records demonstrate implementation of the element "Knowledge of the System"?
11.	DIMP	Sat		GDIM.KN	8.	GDIM.RA.DEMOUNDERSTANDING.R	192.1007(a)	Has the operator demonstrated an adequate understanding of the system?

Inspection Results Report (ALL Non-Empty Results) - Scp_PK DIMP

Row	Assets	Result	(Note 1)	Sub-Group	Question #	Question ID	References	Question Text
12.	DIMP	Sat		GDIM.TH	1.	GDIM.RA.THREATCATEGORIES.P	192.1007(b)	In identifying threats, do the procedures include consideration of all of the required threat categories to each gas distribution pipeline?
13.	DIMP	Sat		GDIM.TH	2.	GDIM.RA.INFOCONSIDERED.P	192.1007(b)	Did the operator consider the information that was reasonably available to identify existing and potential threats?
14.	DIMP	Sat		GDIM.TH	3.	GDIM.RA.INFOCONSIDERED.R	192.1007(b)	In identifying threats did the information considered include all of the required data and information sources?
15.	DIMP	Sat		GDIM.TH	4.	GDIM.RA.OUTSIDESOURCES.P	192.1007(b)	Do the procedures consider, in addition to the operator's own information, data from external sources (e.g. trade associations, government agencies, or other system operators, etc.) to assist in identifying potential threats?
16.	DIMP	Sat		GDIM.TH	5.	GDIM.RA.IMPLEMENTTH.R	192.1007(b)	Do records demonstrate implementation of the element "Identify Threats"?
17.	DIMP	Sat		GDIM.RR	1.	GDIM.RA.RISKRANKING.P	192.1007(c)	Do the procedures contain the method(s) used to determine the relative importance of each threat and estimate and rank the risks posed?
18.	DIMP	Sat		GDIM.RR	2.	GDIM.RA.THREATSCONSIDERED.P	192.1007(c)	Do the procedures to evaluate and rank risk consider each applicable current and potential threat?
19.	DIMP	Sat		GDIM.RR	3.	GDIM.RA.LIKELIHOOD.P	192.1007(c)	Do the procedures to evaluate and rank risk consider the likelihood of failure associated with each threat?
20.	DIMP	Sat		GDIM.RR	4.	GDIM.RA.CONSEQUENCE.P	192.1007(c)	Do the procedures to evaluate and rank risk consider the potential consequence of failure for all applicable threats?
21.	DIMP	Sat		GDIM.RR	5.	GDIM.RA.SUBDIVIDE.R	192.1007(c)	If subdivision of system occurs, does the plan subdivide the system into regions with similar characteristics and for which similar actions are likely to be effective in reducing risk?
22.	DIMP	Sat		GDIM.RR	6.	GDIM.RA.RESULTS.R	192.1007(c)	Are the results of the risk ranking supported by the risk evaluation model/method?
23.	DIMP	Sat		GDIM.RR	7.	GDIM.RA.RESULTSVALIDATION.R	192.1007(c)	Did the operator validate the results generated by the risk evaluation model/method?
24.	DIMP	Sat		GDIM.RR	8.	GDIM.RA.IMPLEMENTRR.R	192.1007(c)	Do records demonstrate implementation of the element "Evaluate and Rank Risk"?
25.	DIMP	Sat		GDIM.PM	1.	GDIM.PM.IDENTIFYMEASURES.P	192.1007(d)	Does the plan include procedures to identify when measures, beyond minimum code requirements specified outside of Part 192 Subpart P, are required to reduce risk?
26.	DIMP	Sat		GDIM.PM	2.	GDIM.PM.IDENTIFYMEASURES.R	192.1007(d)	When measures, beyond minimum code requirements specified outside of Part 192 Subpart P, are required

Inspection Results Report (ALL Non-Empty Results) - Scp_PK DIMP

Row	Assets	Result	(Note 1)	Sub-Group	Qs #	Question ID	References	Question Text
								to reduce risk, does the plan identify the measures selected, how they will be implemented, and the risks they are addressing?
27.	DIMP	Sat		GDIM.PM	3.	GDIM.PM.LEAKMANAGEMENT.P	192.1007(d)	Does the plan include an effective leak management program (unless all leaks are repaired when found)?
28.	DIMP	Sat		GDIM.PM	4.	GDIM.PM.IMPLEMENTPM.R	192.1007(d)	Do records demonstrate implementation of the measures, required by Part 192 Subpart P, to reduce risk?
29.	DIMP	Sat		GDIM.EV	1.	GDIM.QA.PERFMEASUREBASELINE.P	192.1007(e)	Does the plan contain procedures for how the operator established a baseline for each performance measure?
30.	DIMP	Sat		GDIM.EV	2.	GDIM.QA.PERFMEASUREBASELINE.R	192.1007(e)	Does the plan establish a baseline for each performance measure?
31.	DIMP	Sat		GDIM.EV	3.	GDIM.QA.PERFMEASUREDATA.P	192.1007(e)	Does the operator have procedures to collect the data for each performance measure?
32.	DIMP	Sat		GDIM.EV	4.	GDIM.QA.PERFMEASUREMONITOR.P	192.1007(e)	Do the procedures require the operator to monitor each performance measure?
33.	DIMP	Sat		GDIM.EV	5.	GDIM.QA.MEASUREEFFECTIVENESS.P	192.1007(e)	When measures are required to reduce risk, do the procedures provide how their effectiveness will be measured?
34.	DIMP	Sat		GDIM.EV	6.	GDIM.QA.IMPLEMENTEV.R	192.1007(e)	Do records demonstrate implementation of the element "Measure Performance, Monitor Results, and Evaluate Effectiveness"?
35.	DIMP	Sat		GDIM.PE	1.	GDIM.CA.PERIODICEVAL.P	192.1007(f)	Do the procedures for periodic evaluation include all of the requirements of 192.1007(f)?
36.	DIMP	Sat		GDIM.PE	2.	GDIM.CA.PERIODICEVAL.R	192.1007(f)	Do records demonstrate implementation of the element "Periodic Evaluation and Improvement"?
37.	DIMP	Sat		GDIM.RP	1.	GDIM.RR.ANNUALREPORT.P	192.1007(g)	Does the plan contain or reference procedures for reporting, on an annual basis, the four measures listed in 192.1007(e)(1)(i) through (e)(1)(iv) to PHMSA as part of the annual report required by 191.11 and the State regulatory authority?
38.	DIMP	Sat		GDIM.RP	2.	GDIM.RR.SUBMITREPORTS.R	192.1007(g)	Has the operator submitted the required reports?
39.	DIMP	Sat		GDIM.MF	1.	GDIM.RR.MECHANICALFITTING.P	192.1009	Are there procedures to collect information necessary to comply with the reporting requirements of 192.1009?
40.	DIMP	Sat		GDIM.RC	1.	GDIM.QA.RECORDREQUIREMENTS.P	192.1011	Are there procedures specifying which records demonstrating compliance with Subpart P will be maintained for at least 10 years?
41.	DIMP	Sat		GDIM.RC	2.	GDIM.QA.PLANRETENTION.P	192.1011	Are there procedures specifying that copies of superseded integrity management plans will be maintained for at least 10 years?

Inspection Results Report (ALL Non-Empty Results) - Scp_PK DIMP

Row	Asset	Result	(Note 1)	Sub-Group	Qs #	Question ID	References	Question Text
42.	DIMP	Sat		GDIM.RC	3.	GDIM.QA.RECORDREQUIREMENTS.R	192.1011	Has the operator maintained the required records?
43.	DIMP	Sat		GDIM.IMPL	1.	GDIM.QA.ISSUESIMPL.R	192.1005	Have all issues raised in previous DIMP inspections been satisfactorily addressed?
44.	DIMP	Sat		GDIM.IMPL	2.	GDIM.RA.GAPSIMPL.R	192.1007(a) (3)	Is missing or incomplete system information and data needed to fill knowledge gaps to assess existing and potential threats being collected?
45.	DIMP	Sat		GDIM.IMPL	3.	GDIM.RA.SYSINFONEEDSIMPL.R	192.1007(a) (3)	Is missing or incomplete system information and data using the procedures prescribed in the DIMP plan being collected?
46.	DIMP	Sat		GDIM.IMPL	4.	GDIM.RA.OMINFONEEDSIMPL.R	192.1007(a) (3)	Has any new or missing information identified or acquired during normal operations, maintenance, and inspection activities been incorporated into the DIMP plan?
47.	DIMP	Sat		GDIM.IMPL	5.	GDIM.RA.NEWPIPEIMPL.R	192.1007(a) (5)	Have required data on any new pipeline installations since August 2, 2011 been captured (e.g., location, wall thickness/SDR, manufacturer, lot/production number)?
48.	DIMP	Sat		GDIM.IMPL	6.	GDIM.RA.DATAFORMIMPL.R	192.1007(a)	Are data collection forms used in conjunction with the operator's DIMP plan being fully and accurately completed?
49.	DIMP	Sat		GDIM.IMPL	7.	GDIM.RA.SMEIMPL.R	192.1007(a)	If new Subject Matter Experts (SMEs) input is incorporated into the DIMP plan, do SMEs have the necessary knowledge and/or experience (skills sets) regarding the areas of expertise for which the SME provided knowledge or supplemental information for input into the DIMP plan?
50.	DIMP	NC		GDIM.IMPL	8.	GDIM.RA.DEMOUNDERSTANDINGIMPL.O	192.1007(a)	Do operator personnel in the field understand their responsibilities under the DIMP plan?
51.	DIMP	Sat		GDIM.IMPL	9.	GDIM.RA.THREATCATEGORIESIMPL.R	192.1007(b)	Has the operator acquired any new information relevant to system knowledge that may affect its threat identification?
52.	DIMP	Sat		GDIM.IMPL	10.	GDIM.RA.INFOCONSIDEREDIMPL.R	192.1007(b)	Have any changes occurred that require re-evaluation of threats and risks?
53.	DIMP	Sat		GDIM.IMPL	11.	GDIM.RA.OUTSIDESOURCESIMPL.R	192.1007(b)	Has the operator identified information or data from external sources (e.g. trade associations, operator's consultants, government agencies, other operators, manufacturers, etc.) that may require re-evaluation of threats and risks?
54.	DIMP	Sat		GDIM.IMPL	12.	GDIM.RA.IMPLEMENTTHUPDATEIMPL.R	192.1007(c)	Since the last DIMP plan review by the regulatory agency, has the threat identification and risk assessment been updated based on newly acquired information or data relevant to system knowledge?

Inspection Results Report (ALL Non-Empty Results) - Scp_PK DIMP

Row	Assets	Result	(Note 1)	Sub-Group	Question #	Question ID	References	Question Text
55.	DIMP	Sat		GDIM.IMPL	13.	GDIM.RA.IMPLEMENTTHUPDATEPLANIMPL.R	192.1007(c)	If the threat identification and risk evaluation and ranking have been modified, were the revisions made in accordance with the procedure in the DIMP plan?
56.	DIMP	Sat		GDIM.IMPL	14.	GDIM.RA.SUBDIVIDEADEQIMPL.R	192.1007(c)	Does the current subdivision process (grouping of materials, geographic areas, etc.) adequately meet the need to properly evaluate and rank the existing and potential threats to the integrity of the system?
57.	DIMP	Sat		GDIM.IMPL	15.	GDIM.RA.SUBDIVIDEUPDATEIMPL.R	192.1007(c)	Have the system subdivisions within the risk evaluation and ranking been added to or modified since the last plan review by the regulatory agency?
58.	DIMP	Sat		GDIM.IMPL	16.	GDIM.RA.SUBDIVIDEDIMPIMPL.R	192.1007(c)	If system subdivisions have been added or modified, was it done in accordance with the procedures described in the DIMP plan?
59.	DIMP	Sat		GDIM.IMPL	17.	GDIM.RA.SUBDIVIDERESULTIMPL.R	192.1007(c)	If system subdivisions have been added or modified, did the new system subdivision result in modifications to the risk evaluation and ranking?
60.	DIMP	Sat		GDIM.IMPL	18.	GDIM.PM.IMPLEMENTPMIMPL.R	192.1007(d)	Does documentation reviewed demonstrate that measures to reduce risks per the DIMP plan are being implemented?
61.	DIMP	Sat		GDIM.IMPL	19.	GDIM.PM.IMPLEMENTPMCOMPLETEIMPL.R	192.1007(d)	Have any measures to reduce risks resulting in the elimination/mitigation of the associated identified threat been completed (e.g., pipe replacement program completed, etc.)?
62.	DIMP	Sat		GDIM.IMPL	20.	GDIM.PM.IMPLEMENTPMREEVALIMPL.R	192.1007(d)	If answering "Satisfactory/Yes" to previous question implementation question GDIM.PM.IMPLEMENTPMCOMPLETEIMPL.R, have risks (192.1007(c)) been re-evaluated and ranked because of the elimination/mitigation of an identified threat to ensure that risk reduction measures in place are appropriate?
63.	DIMP	Sat		GDIM.IMPL	21.	GDIM.PM.IMPLEMENTPMSPECIFRISKIMPL.R	192.1007(d)	Does each implemented risk reduction measure identified in the DIMP plan address a specific risk?
64.	DIMP	Sat		GDIM.IMPL	22.	GDIM.PM.LEAKMANAGEMENTIMPL.R	192.1007(d)	Can the operator provide documentation to demonstrate that an effective leak management program is being implemented (answer "N/A" if all leaks are repaired when found)?
65.	DIMP	Sat		GDIM.IMPL	23.	GDIM.QA.IMPLEMENTEVDATAIMPL.R	192.1007(e)	Is data being collected for the required performance measures in 192.1007(e)?
66.	DIMP	Sat		GDIM.IMPL	24.	GDIM.QA.IMPLEMENTEVDATADIMPIMPL.R	192.1007(e)	Based on field observations and/or record reviews, is the data used to measure performance being accurately collected in accordance

Inspection Results Report (ALL Non-Empty Results) - Scp_PK DIMP

Row	Asset	Result	(Note 1)	Sub-Group	Qs #	Question ID	References	Question Text
								with the procedures in its DIMP plan?
67.	DIMP	Sat		GDIM.IMPL	25.	GDIM.QA.IMPLEMENTEVBASELINEIMPL.R	192.1007(e)	Is each performance measure being monitored from an established baseline?
68.	DIMP	Sat		GDIM.IMPL	26.	GDIM.QA.IMPLEMENTEVRIKIMPL.R	192.1007(e)	Is each performance measure added since the DIMP plan was last updated tied to a specific risk reduction measure or group of measures?
69.	DIMP	Sat		GDIM.IMPL	27.	GDIM.CA.PERIODICEVALFREQIMPL.R	192.1007(f)	Have periodic evaluations of the DIMP plan been performed on the frequency specified in the plan? [If a periodic evaluation has not been required since plan implementation or the last inspection, mark questions 27-32 as "N/A".]
70.	DIMP	Sat		GDIM.IMPL	28.	GDIM.CA.PERIODICEVALREQTSIMPL.R	192.1007(f)	Did the periodic evaluation include all required elements?
71.	DIMP	Sat		GDIM.IMPL	29.	GDIM.CA.PERIODICEVALHIRISKIMPL.R	192.1007(f) (192.1007(e))	If any established performance measures indicated an increase in risk beyond an acceptable level (as established in the DIMP plan), were new risk reduction measures implemented along with their associated performance measures?
72.	DIMP	Sat		GDIM.IMPL	30.	GDIM.CA.PERIODICEVALRISKREDIMPL.R	192.1007(f)	If the periodic evaluation indicates that implemented measures to reduce risks are NOT effective, were risk reduction measures modified, deleted or added?
73.	DIMP	Sat		GDIM.IMPL	31.	GDIM.CA.PERIODICEVALPRFMESIMPL.R	192.1007(f)	Did the periodic evaluation indicate that the selected performance measures are assessing the effectiveness of risk reduction measures, and, if not, were performance measures modified, deleted or added?
74.	DIMP	Sat		GDIM.IMPL	32.	GDIM.CA.PERIODICEVALDIMPIMPL.R	192.1007(f)	Were procedures followed in conducting periodic evaluations and program improvements?
75.	DIMP	Sat		GDIM.IMPL	33.	GDIM.RR.SUBMITREPORTSIMPL.R	192.1007(g)	Were Parts C and D of the PHMSA Distribution Annual Report (Form 7100.1-1) completed in the submission to PHMSA and the state regulatory authority having jurisdiction, if required, for each year since the last inspection?
76.	DIMP	Sat	(2)	GDIM.IMPL	34.	GDIM.RR.MECHANICALFITTINGDATAIMPL.R	192.1009 (191.12)	Have accurate records been maintained documenting mechanical fitting failures that resulted in hazardous leaks?
77.	DIMP	Sat		GDIM.IMPL	35.	GDIM.RR.MECHANICALFITTINGRPTIMPL.R	192.1009 (191.12)	Did the operator report all mechanical fitting failures that resulted in a hazardous leak for the previous calendar year to PHMSA and State authorities, as appropriate, by March 15th of the next calendar year, and did the reports contain the information required by Department of

Inspection Results Report (ALL Non-Empty Results) - Scp_PK DIMP

Row	Asset	Result	(Note 1)	Sub-Group	Qs	Question ID	References	Question Text
								Transportation Form PHMSA F-7100.1-2?
78.	DIMP	NC		GDIM.IMPL	36.	GDIM.RR.MECHANICALFITTINGDIMPIMPL.O	192.1009 (191.12)	Were procedure(s) followed for collecting the appropriate information and submitting PHMSA Form F-7100.1-2?
79.	DIMP	Sat		GDIM.IMPL	37.	GDIM.QA.RECORDREQUIREMENTSIMPL.R	192.1011	Are records retained demonstrating compliance with Subpart P, as specified in its DIMP plan, for 10 years (or since 08/02/2011)?
80.	DIMP	Sat		GDIM.IMPL	38.	GDIM.QA.RECORDREQTSRETAINIMPL.R	192.1011	Were copies of superseded DIMP plans retained for 10 years (or since 08/02/2011)?
81.	DIMP	Sat		GDIM.IMPL	39.	GDIM.QA.RECORDREQTSDIMPIMPL.R	192.1011	Were DIMP procedures followed as applicable to records retention?
82.	DIMP	NA		GDIM.IMPL	40.	GDIM.PI.PERIODICINSPDEVAPPRVIMPL.R	192.1013(c)	Has approval been received from PHMSA or the appropriate State Regulatory Authority for alternate (less strict than code) periodic inspection intervals? [If no, mark questions 40-44 "N/A".]
83.	DIMP	NA		GDIM.IMPL	41.	GDIM.PI.PERIODICINSPDEVPERFRMIMPL.R	192.1013(c)	Have the periodic inspections been conducted at the specified alternate intervals?
84.	DIMP	NA		GDIM.IMPL	42.	GDIM.PI.PERIODICINSPDEVREQTIMPL.R	192.1013(c)	Have all conditions been complied with that were required as part of the alternate inspection interval approval?
85.	DIMP	NA		GDIM.IMPL	43.	GDIM.PI.PERIODICINSPDEVPRFMESIMPL.R	192.1013(c)	Do performance measure records indicate that an equal or greater overall level of safety has been achieved since the alternate inspection frequency was implemented?
86.	DIMP	NA		GDIM.IMPL	44.	GDIM.PI.PERIODICINSPDEVACTIONIMPL.R	192.1013(c)	If that an equal or greater overall level of safety has not been achieved, has corrective action been taken?

1. Result is repeated (N) times in this report due to re-presentation of the question in multiple sub-groups.

Report Parameters: All non-empty Results

Inspection documentation, including completed protocol forms, summary reports, executive summary reports, and enforcement documentation are for internal use only by federal or state pipeline safety regulators. Some inspection documentation may contain information which the operator considers to be confidential. In addition, supplemental inspection guidance and related documents in the file library are also for internal use only by federal or state pipeline safety regulators (with the exception of documents published in the federal register, such as advisory bulletins). Do not distribute or otherwise disclose such material outside of the state or federal pipeline regulatory organizations. Requests for such information from other government organizations (including, but not limited to, NTSB, GAO, IG, or Congressional Staff) should be referred to PHMSA Headquarters Management.