Form C 8448

UTC Standard Inspection Report Intrastate Gas Distribution R C - State Statutes and Rules **Records Review and Field Inspections**

Inspector and Operator Information

Inspection Link Inspector - Assist Inspector - Lead

8448 Cullom, David

Operator Unit Records Location - City & State

Inspection Start Date Inspection Exit Interview Date Engineer Submit Date

Inspection Summary

Instructions and Ratings Definitions

INSTRUCTIONS INSPECTION RESULTS

S - Satisfactory **Satisfactory Responses** Satisfactory List

U - Unsatisfactory **Unsatisfactory Responses Unsatisfactory List**

Area Of Concern Area of Concern List **Area of Concern Responses**

N/A - Not Applicable (does not apply in this inspection) Not Applicable List Not Applicable Responses

inspection)

Not Checked / Evaluated Responses

Not Checked / **Evaluated List**

Unanswered Questions Unanswered Questions List

1,2,3,4,5,6,7,8,

N/C - Not Checked/Evaluated (was not inspected during this

Records, Procedures and Reports

Question #1.

Do records indicate that the operator appropriately addresses discovered mapping errors, including all mapping errors that have resulted in excavation damage?

1. Result 1. **Statutory Reference Notes** WAC 480-93-018

Question #2.

Do records indicate that the operator's mapping corrections are made in a timely manner and in accordance with the operator's written procedures?

1 of 3 6/24/2022, 9:51 AM

^{**}If an item is marked Form a- annual review. U, N/Form a- annual review or N/C, an explanation must be included in this

Statutory Reference

2. Result

3. Results

2. Notes

WAC 480-93-018

Question #3

Do records indicate that the operator has and follows a quality assurance program for monitoring the locating and marking of facilities? Do records show that the operator conducts regular field audits of the performance of locators/contractors and takes action when necessary?

Reference:

3. Notes

Operator Internal Performance Measures; PHMSA State Program Guidelines

Question #4.

Does operator include performance measures in facility locating services contracts with corresponding and meaningful incentives and penalties?

Statutory Reference

Statutory Reference

Reference:

4. Result

4.

WAC 480-93-007

WAC 480-93-013

PHMSA State Program Guidelines

Notes

Question #5.

Do operator contracted (or organic) locators address performance problems for persons performing locating services through mechanisms such as re-training, process change, or changes in staffing levels?

Statutory Reference

Statutory Reference

5. Result

5. Notes

WAC 480-93-007

WAC 480-93-013

Question #6.

Does the operator periodically review the Operator Qualification plan criteria and methods used to qualify personnel to perform locates?

Statutory Reference

Statutory Reference

6. Result

6. Notes

WAC 480-93-007

WAC 480-93-013

Question #7.

Are locating and excavating personnel properly qualified in accordance with the operator's Operator Qualification plan and with federal and state requirements?

Statutory Reference

Statutory Reference

7. Result

7.

WAC 480-93-007

WAC 480-93-013

Notes

Question #8.

Do records indicate that the operator has and follows a procedure for leaks caused by excavation damage near buildings such that the procedure adequately addresses the possibility of multiple leaks and underground migration of gas into nearby buildings/structures?

Reference:

8. Result

Notes

8.

PHMSA State Program Guidelines Operator Internal Performance Measures

2 of 3 6/24/2022, 9:51 AM

Reference:

PHMSA State Program Guidelines Operator Internal Performance Measures

Comments - Records, Procedures & Reports

RECORDS REVIEW SUMMARY: Comments are required for any rating other than "Satisfactory". Summarize the "Notes" blocks above, and ensure you annotate the question number for each comment.

FIELD INSPECTION OBSERVATIONS

Comments - Field Observations

FIELD OBSERVATION SUMMARY: Comments are required for any rating other than "Satisfactory". Summarize the "Notes" blocks above, and ensure you annotate the question number for each comment.

3 of 3 6/24/2022, 9:51 AM