Inspection Output (IOR)

Generated on 2019. November. 14 11:16

Inspection Information

00

Inspection Name 7851 Nouryon Operator(s) NOURYON PULP AND PERFORMANCE CHEMICALS LLC (32358)

Plan Approval ---

Inspection Approval --

Status STARTED

Lead Anthony Dorrough

All Activity Start 10/24/2019

Plan Submitted 10/17/2019

Start Year 2019

Director

All Activity End 10/24/2019

System Type HL Protocol Set ID HL.2019.01

Inspection Submitted --

Inspection Summary

Nouryon Pulp and Performance Chemicals LLC (formerly Akzo Nobel) operates 0.45 miles of 8" PE pipeline. The pipeline transports non-odorized hydrogen gas from Nouryon's chemical plant to JR Simplot's boiler. Staff reviewed operator qualification process, procedures and records. The field inspection consisted of observing a qualified individual perform a randomly selected qualified

Scope (Assets)

Short # Label	Long Label	Asset Type	Asset IDs	Excluded Topics	Total Planned Required Inspected			Required % Complete
1. Nouryon	Nouryon Pulp and Performance Chemicals LLC	unit		Offshore GOM Crosses Nav. Reg Rural Gather Rural Low Stress Abandoned	54	54	54	100.0%

^{1.} Percent completion excludes unanswered questions planned as "always observe".

Plans

#	Plan Assets	Focus Directives	Involved Groups/Subgroups	Qst Type(s)	Extent	Notes
1.	Nouryon	n/a	TQ	P, R, O, S	Detail	

Plan Implementations

										Required
	Activity	SMART	Start Date	Focus	Involved	Qst			Total	%
#	Name	Act#	End Date	Directives	Groups/Subgroups A	ssets Type	e(s) Planr	ned Required	Inspected	Complete
1	. Nouryon OQ		10/24/2019		all planned questions al		pes	54 54	54	100.0%
			10/24/2019		29	21922				

- 1. Since questions may be implemented in multiple activities, but answered only once, questions may be represented more than once in this table.
- 2. Percent completion excludes unanswered questions planned as "always observe".

Forms

7851 Nourvon OQ Page 1 of 8

 No.
 Entity
 Form Name
 Status
 Date Completed
 Activity Name
 Asset

 1.
 Attendance List
 Nouryon OQ 1
 STARTED
 - Nouryon OQ - -

Results (all values, 54 results)

56 (instead of 54) results are listed due to re-presentation of questions in more than one sub-group.

TD.CP: External Corrosion - Cathodic Protection

1. Question Result, ID, NA, TQ.QU.CORROSIONSUPERVISE.P, 195.402(c) (195.555, 195.505(h)) (also presented in: TQ.QU)

Question Text Are supervisors required to maintain a thorough knowledge of corrosion control procedures they are responsible for, and is it verified?

Assets Covered Nouryon

Result Notes No such relevant facilities/equipment existed in the scope of inspection review.

2. Question Result, ID, NA, TQ.QU.CORROSIONSUPERVISE.R, 195.589(c) (195.507(a), 195.507(b)) (also presented in: TQ.QU)

Question Text Is qualification of supervisors in corrosion control procedures documented?

Assets Covered Nouryon

Result Notes No such relevant facilities/equipment existed in the scope of inspection review.

TQ.PROT9: OQ Protocol 9

3. Question Result, ID, References Sat, TQ.PROT9.TASKPERFORMANCE.O, 195.501(a) (195.509(a))

Question Text Verify the qualified individuals performed the observed covered tasks in accordance with the operator's procedures or operator approved contractor procedures.

Assets Covered Nouryon

Result Notes The product is Hydrogen which cannot be odorized so to add a measure of added safety Nouryon conducts monthly leak surveys. Taylor Stout and Jacob St. Mary and Lind Bingham perform this task and were verified by staff.

4. Question Result, ID, Sat, TQ.PROT9.QUALIFICATIONSTATUS.O, 195.501(a) (195.509(a))
References

Question Text Verify the individuals performing the observed covered tasks are currently qualified to perform the covered tasks.

Assets Covered Nouryon

5. Question Result, ID, Sat, TQ.PROT9.AOCRECOG.O, 195.501(a) (195.509(a)) References

Question Text Verify the individuals performing covered tasks are cognizant of the AOCs that are applicable to the tasks observed.

Assets Covered Nouryon

6. Question Result, ID, Paferences Sat, TQ.PROT9.VERIFYQUAL.O, 195.501(a) (195.509(a))

Question Text Verify the qualification records are current, and ensure the personal identification of all individuals performing covered tasks are checked, prior to task performance.

Assets Covered Nouryon

Result Notes Staff observed Taylor Stout

7. Question Result, ID, NA, TQ.PROT9.CORRECTION.O, 195.501(a) (195.509(a))

Question Text Have potential issues identified by the OQ plan inspection process been corrected at the operational level?

Assets Covered Nouryon

Result Notes No such event occurred, or condition existed, in the scope of inspection review.

TQ.OQ: Operator Qualification

8. Question Result, ID, Sat, TQ.OQ.OQPLAN.P, 195.505(a) (195.501(b), 195.3(c)(B)(9))

Question Text Is there an OQ plan that includes covered tasks, and the basis used for identifying covered tasks?

Assets Covered Nouryon

Result Notes Section 4- Identification of Covered tasks

9. Question Result, ID, Peterences Sat, TQ.OQ.REEVALINTERVAL.P, 195.505(g)

Question Text Does the OQ plan establish and justify requirements for reevaluation intervals for each covered task?

Assets Covered Nouryon

Result Notes Section 5.11- Re-Evaluation Criteria

10. Question Result, ID, References Sat, TQ.OQ.NONQUALIFIED.P, 195.505(c)

Question Text Does the OQ plan contain provisions for non-qualified individuals to perform covered tasks while being directed and observed by a qualified individual, and are appropriate restrictions and limitations placed on such activities?

Assets Covered Nouryon

Result Notes Section 5.16- Non-Qualified Individuals

11. Question Result, ID, Sat, TQ.OQ.EVALMETHOD.P, 195.505(b) (195.503, 195.509(d), 195.509(e))

Question Text Are evaluation methods established and documented appropriate to each covered task?

Assets Covered Nouryon

Result Notes Initial evaluation is with online training. (See documentation copy)

12. Question Result, ID, NA, TQ.OQ.OQCONTRACTOR.R, 195.507(a) (195.507(b))

Question Text Are adequate records containing the required elements maintained for contractor personnel?

Assets Covered Nouryon

Result Notes No such activity/condition was observed during the inspection.

13. Question Result, ID, Sat, TQ.OQ.RECORDS.R, 195.507(a) (195.507(b)) References

Question Text Do records document the evaluation and qualifications of individuals performing covered tasks, and can the qualification of individuals performing covered tasks be verified?

Assets Covered Nouryon

14. Question Result, ID, Sat, TQ.OQ.TRAINING.P, 195.505(h)

Question Text Does the operators program provide for initial qualification, retraining and reevaluation of individuals performing covered tasks?

Assets Covered Nouryon

Result Notes Nouryon prints out MEA sheet of qualified individuals each year to check for qualification, retraining and reevaluation.

15. Question Result, ID, Sat, TQ.OQ.TRAINING.R, 195.507(a) (195.507(b), 195.505(h))

Question Text Does the operator have records for initial qualification, retraining and reevaluation of individuals performing covered tasks?

Assets Covered Nouryon

16. Question Result, ID, Sat, TQ.OQ.OQPLANCONTRACTOR.P, 195.505(a) (195.505(f))

Question Text Does the OQ plan have a process to communicate the OQ plan requirements to contractors and ensure that contractors are following it?

Assets Covered Nouryon

Result Notes Section 3.3.3- Third Party Personnel

17. Question Result, ID, NA, TQ.OQ.OQCONTRACTOR.P, 195.505(b) (195.505(c), 195.505(d), 195.505(e), 195.505(f)) References

Question Text Are contractor organizations or other entities that perform covered tasks qualified?

Assets Covered Nouryon

Result Notes No such relevant facilities/equipment existed in the scope of inspection review.

References

18. Question Result, ID, Sat, TQ.OQ.CONTRACTOREQUIV.P, 195.505(h)

Question Text Does the OQ plan assure that procedures on which an OQ vendor has evaluated qualified personnel are the same or consistent with those used by the operator for employees and contractors in the field?

Assets Covered Nouryon

Result Notes Section 3.3.3 - F & G - Jacobe St. Mary is the Nouryon Pipeline Manager

19. Question Result, ID, NA, TQ.OQ.OTHERENTITY.R, 195.505(b) (195.505(c), 195.503) References

> Question Text If the operator employs other entities to perform covered tasks, such as mutual assistance, are adequate records containing the required elements maintained?

Assets Covered Nouryon

Result Notes No such activity/condition was observed during the inspection.

20. Question Result, ID, Sat, TQ.OQ.ABNORMAL.P, 195.503 (195.505(b)) References

> Question Text Does the OQ plan contain requirements to assure that individuals performing covered tasks are able to recognize and react to abnormal operating conditions (AOCs)?

Assets Covered Nouryon

Result Notes Section 6- Qualification Procedures - Nouryon has a paper copy backup to this electronic data.

21. Question Result, ID, Sat, TQ.OQ.ABNORMAL.R, 195.507(a) (195.507(b), 195.503)

Question Text Do records indicate evaluation of qualified individuals for recognition and reaction to AOCs?

Assets Covered Nouryon

22. Question Result, ID, Sat, TQ.OQ.ABNORMAL.O, 195.503

Question Text Do individuals performing covered tasks have adequate knowledge to recognize and react to abnormal operating conditions (AOCs)?

Assets Covered Nouryon

23. Question Result, ID, Sat, TQ.OQ.PERFMONITOR.P, 195.505(d) (195.505(e))

Question Text Does the OQ program include provisions to evaluate an individual if there is reason to believe that performance of a covered task contributed to an incident or accident as defined in Parts 192 and 195, or there is reason to believe an individual is no longer qualified to perform covered tasks?

Assets Covered Nouryon

Result Notes Section 5.12-5.15

References

24. Question Result, ID, NA, TQ.OQ.PERFMONITOR.R, 195.505(d) (195.505(e))

Question Text Does the operator have records to demonstrate that they have evaluated individuals who may have contributed to an incident/accident while performing a covered task or where there is reason to believe that an individual may have no longer been qualified to perform a covered task?

Assets Covered Nouryon

Result Notes No such activity/condition was observed during the inspection.

25. Question Result, ID, Sat, TQ.OQ.OQPLAN.O, 195.505(h) References

Question Text Do individuals performing covered tasks demonstrate adequate skills and knowledge?

Assets Covered Nouryon

26. Question Result, ID, Sat, TQ.OQ.MOC.P, 195.505(f) References

> Question Text Does the OQ program identify how changes to procedures, tools standards and other elements used by individuals in performing covered tasks are communicated to the individuals, including contractor individuals, and how these changes are implemented in the evaluation method(s)?

Assets Covered Nouryon

Result Notes Section 8 - MOC

7851 Nourvon OQ Page 4 of 8 27. Question Result, ID, Sat, TQ.OQ.CHANGENOTIFY.P, 195.505(i) References

> Question Text Does the process require significant OQ program changes to be identified and the Administrator or State agency notified?

Assets Covered Nouryon

28. Question Result, ID, NA, TQ.OQ.CHANGERECORD.R, 195.505(i) (195.505(f))

Question Text Are records maintained for changes that affect covered tasks and significant OQ plan changes?

Assets Covered Nouryon

Result Notes No such activity/condition was observed during the inspection.

TQ.QU: Qualification of Personnel - Specific Requirements

29. Question Result, ID, NA, TQ.QU.CORROSIONSUPERVISE.P, 195.402(c) (195.555, 195.505(h)) (also presented in: TD.CP) References

Question Text Are supervisors required to maintain a thorough knowledge of corrosion control procedures they are responsible for, and is it verified?

Assets Covered Nouryon

Result Notes No such relevant facilities/equipment existed in the scope of inspection review.

30. Question Result, ID, NA, TQ.QU.CORROSIONSUPERVISE.R, 195.589(c) (195.507(a), 195.507(b)) (also presented in: TD.CP)

Question Text Is qualification of supervisors in corrosion control procedures documented?

Assets Covered Nouryon

Result Notes No such relevant facilities/equipment existed in the scope of inspection review.

31. Question Result, ID, NA, TQ.QU.CONTROLLER.P, 195.446(h) (195.505(b)) References

> Question Text Does the process establish, maintain, and review controller qualifications, abilities, and performance metrics, with particular attention to response to abnormal operating conditions?

Assets Covered Nouryon

Result Notes No such relevant facilities/equipment existed in the scope of inspection review.

32. Question Result, ID, NA, TQ.QU.CONTROLLER.R, 195.446(h) (195.507(a), 195.507(b))

Question Text Is controller training and qualification documented?

Assets Covered Nouryon

Result Notes No such relevant facilities/equipment existed in the scope of inspection review.

33. Question Result, ID, NA, TQ.QU.CONTROLLER.O, 195.446(b) (195.446(c), 195.505(b)) References

Question Text Do controllers demonstrate adequate skills and knowledge?

Assets Covered Nouryon

Result Notes No such activity/condition was observed during the inspection.

TQ.QUOMCONST: Qualification of Personnel - Specific Requirements (O and M Construction)

34. Question Result, ID, NA, TQ.QUOMCONST.INSPECTORQUAL.P, 195.204 References

> Question Text Does the process require personnel who conduct pipe or pipeline system construction inspections to be adequately trained and qualified?

Assets Covered Nouryon

Result Notes No such activity/condition was observed during the inspection.

35. Question Result, ID, NA, TQ.QUOMCONST.INSPECTORQUAL.R, 195.204 References

> Question Text Do records indicate adequate qualification documentation for personnel who conduct pipe or pipeline system construction inspections? (TQ.QUOMCONST.INSPECTORQUAL.R) (detail)

Assets Covered Nouryon

Result Notes No such activity/condition was observed during the inspection.

References

36. Question Result, ID, NA, TQ.QUOMCONST.INSPECTORQUAL.O, 195.204

Question Text Does the inspector who ensures pipeline systems are installed per requirements demonstrate adequate skills and knowledge?

Assets Covered Nouryon

Result Notes No such activity/condition was observed during the inspection.

37. Question Result, ID, NA, TQ.QUOMCONST.WELDER.P, 195.222(a) (195.222(b), Section 6 of API-1104, Section IX of ASME References Boiler & Pressure Vessel Code, 195.214(a))

Question Text Does the process require welders to be qualified in accordance with API-1104 or the ASME Boiler & Pressure Vessel Code?

Assets Covered Nouryon

Result Notes No such relevant facilities/equipment existed in the scope of inspection review.

38. Question Result, ID, NA, TQ.QUOMCONST.WELDER.R, 195.222(a) (195.214(a), 195.222(b)) References

Question Text Do records indicate that welders are adequately qualified?

Assets Covered Nouryon

Result Notes No such activity/condition was observed during the inspection.

39. Question Result, ID, NA, TQ.QUOMCONST.WELDER.O, 195.222(a) (195.505(b), 195.214(a)) References

Question Text Do welders demonstrate adequate skills and knowledge?

Assets Covered Nourvon

Result Notes No such activity/condition was observed during the inspection.

TQ.TRCNTRL: Training of Personnel - Dispatcher

40. Question Result, ID, NA, TQ.TRCNTRL.CNTRLTRAINING.P, 195.444 (195.446(e))

Question Text Does the process require that dispatchers are trained in the recognition of CPM alarms?

Assets Covered Nouryon

Result Notes No such activity/condition was observed during the inspection.

41. Question Result, ID, NA, TQ.TRCNTRL.CNTRLTRAINING1130.P, 195.444 (195.505(h)) References

Question Text Do the process require dispatcher training be provided in compliance with API-1130?

Assets Covered Nouryon

Result Notes No such activity/condition was observed during the inspection.

42. Question Result, ID, NA, TQ.TRCNTRL.CNTRLTRAINING.R, 195.444 (195.507(a), 195.507(b))

Question Text Is dispatcher training and qualification documented?

Assets Covered Nouryon

Result Notes No such activity/condition was observed during the inspection.

43. Question Result, ID, NA, TQ.TRCNTRL.CNTRLTRAINING.O, 195.444 (195.505(b)) References

Question Text Do dispatchers demonstrate adequate skills and knowledge?

Assets Covered Nouryon

Result Notes No such activity/condition was observed during the inspection.

TQ.TRERP: Training of Personnel - Emergency Response

44. Question Result, ID, Sat, TQ.TRERP.ERCONDITIONS.P, 195.403(a)(3) References

Question Text Are conditions that are likely to cause emergencies, their consequences, and appropriate corrective action identified in the ER training?

Assets Covered Nouryon

45. Question Result, ID, Sat, TQ.TRERP.ERFIREPROT.P, 195.403(a)(5) References

> Question Text Are the potential causes, types, sizes, and consequences of fire and appropriate use of portable fire extinguishers and other on-site fire control equipment covered in the ER training?

Assets Covered Nouryon

Result Notes Nouryon does their own emergency response - Board Production training plan -

46. Question Result, ID, Sat, TQ.TRERP.ERHAZTRAINING.P, 195.403(a)(2)

Question Text Are the characteristics and hazards of the hazardous liquids or carbon dioxide transported covered in the ER training?

Assets Covered Nouryon

Result Notes Verified- Page 15 of plan See photos

47. Question Result, ID, Sat, TQ.TRERP.ERRELEASECONTROL.P, 195.403(a)(4) References

> Question Text Are the steps necessary to control any accidental release of hazardous liquid to minimize the potential for fire, explosion, toxicity, or environmental damage identified in the ER training?

Assets Covered Nouryon

Result Notes Page 8 - Emergency Response Plan

48. Question Result, ID, Sat, TQ.TRERP.ERTRAINING.P, 195.403(a)(1) References

Question Text Does emergency response training cover the emergency procedures established under 195.402?

Assets Covered Nouryon

49. Question Result, ID, Sat, TO.TRERP.ERTRAININGRECORDS.R, 195.404(c) (195.403(a))

Question Text Is training for emergency response personnel documented?

Assets Covered Nouryon

50. Question Result, ID, Sat, TQ.TRERP.ERTRAINING.O, 195.403(a)

Question Text Do emergency response personnel demonstrate adequate skills and knowledge?

Assets Covered Nouryon

Result Notes Annex 5

51. Question Result, ID, Sat, TQ.TRERP.ERTRAININGREVIEW.P, 195.403(b) References

> Question Text Does the process require review of emergency response personnel performance at the required frequency?

Assets Covered Nouryon

52. Question Result, ID, Sat, TO.TRERP.ERTRAININGREVIEW.R, 195.404(c) (195.403(b))

Question Text Has review of emergency response personnel performance at the required frequency been documented?

Assets Covered Nouryon

53. Question Result, ID, Sat, TQ.TRERP.ERTRAININGSUPERVISE.P, 195.403(c) References

> Question Text Does the process require supervisors be trained on emergency response procedures for which they are responsible?

Assets Covered Nouryon

Result Notes Annex 6 Training and Exercises/Drills

54. Question Result, ID, Sat, TO.TRERP.ERTRAININGSUPERVISE.O, 195.403(c) (195.405) References

Question Text Do emergency response supervisors demonstrate adequate skills and knowledge?

TQ.TROMCONST: Training of Personnel - O and M Construction

55. Question Result, ID, NA, TQ.TROMCONST.NDT.P, 195.234(b)(2)

Question Text Does the process require nondestructive testing of welds (for maintenance and construction) be performed by personnel trained and qualified in procedures and in use of the testing equipment?

Assets Covered Nouryon

Result Notes No such activity/condition was observed during the inspection.

56. Question Result, ID, NA, TQ.TROMCONST.NDT.R, 195.234(b)(2) References

Question Text *Is training for personnel, who perform nondestructive testing of welds, documented and demonstrated?*Assets Covered Nouryon

Result Notes No such activity/condition was observed during the inspection.

Report Parameters: Results: all

Except as required to be disclosed by law, any inspection documentation, including completed protocol forms, summary reports, executive summary reports, and enforcement documentation are for internal use only by federal or state pipeline safety regulators. Some inspection documentation may contain information which the operator considers to be confidential. In addition, supplemental inspection guidance and related documents in the file library are also for internal use only by federal or state pipeline safety regulators (with the exception of documents published in the federal register, such as advisory bulletins). Do not distribute or otherwise disclose such material outside of the state or federal pipeline regulatory organizations. Requests for such information from other government organizations (including, but not limited to, NTSB, GAO, IG, or Congressional Staff) should be referred to PHMSA Headquarters Management.

Report Filters: Results: all