



STATE OF WASHINGTON
UTILITIES AND TRANSPORTATION COMMISSION

621 Woodland Square Loop S.E. • Lacey, Washington 98503

P.O. Box 47250 • Olympia, Washington 98504-7250

(360) 664-1160 • TTY 1-800-833-6384 or 711

May 29, 2024

Brian Wood
Director Support Services
Nippon Dynawave Packaging Co.
3401 Industrial Way
P.O. Box 188
Longview, WA 98632-9285

RE: 2024 Natural Gas Drug and Alcohol Inspection – Nippon Dynawave Packaging Co. LLC – (Insp. No. 8797)

Dear Mr. Wood:

Staff from the Washington Utilities and Transportation Commission (staff) conducted a Drug and Alcohol Inspection of Nippon Dynawave Packaging Co. LLC (Nippon) - from April 15, 2024, to May 28, 2024. The inspection included a review of Nippon's procedures and records.

No apparent violations were noted as a result of the inspection. This inspection will be closed as of the date of this letter.

Staff thanks Nippon's personnel for their professionalism and cooperation during this inspection. If you have any questions or if we may be of any assistance, please contact Lex Vinsel at (360) 789-6024.

Sincerely,

for Scott Rukke
Pipeline Safety Director

cc: Andi Jackson, Project Engineer Energy and Utilities, Nippon Dynawave
Greg Pyle, Counsel, Lane Powell
Kim Hamer, Purchasing Manager, Nippon Dynawave
Mark Jankowski, Plant Engineering Manager, Nippon Dynawave
Steve Cash, Engineering, Nippon Dynawave
Johnny Lopez, Regulatory Compliance Specialist, EverLine

Respect. Professionalism. Integrity. Accountability.